


DATA PLATE
STATE & 3RD PARTY LABEL, LOCAL

- NOTES:**
1. THIS HOUSE PLAN MAY BE FLIPPED FROM FRONT TO BACK & OR LEFT TO RIGHT.
 2. INTERIOR WALL PARTITIONS (NON-LOAD BEARING AND NON-BRACED) MAY BE MOVED OR DELETED FROM THE PLAN.
 3. KITCHEN & BATH ROOM CABINETS MAY BE MOVED, ADDED OR OMITTED AS LONG AS THE PLUMBING DIAGRAM IS NOT MODIFIED.
 4. PANEL BOX LOCATION MAY VARY PENDING INDIVIDUAL ELECTRIC SERVICE REQUIREMENTS.
 5. ACTUAL WINDOWS & DOORS MAY BE UPGRADED AS LONG AS THEY ARE EQUAL TO OR BETTER THEN SPECIFIED.
 6. WHIRLPOOL TUBS MAY REPLACE THE EXISTING PROVIDING THE LAYOUT WILL NOT MODIFY THE APPROVED PLUMBING DIAGRAM AND THE ELECTRICAL SERVICE CAN SUPPORT THE ADDITIONAL LOADS.
 7. ALL WINDOW OPENINGS WHICH ARE 72" ABOVE THE FINISHED GRADE, WITH THE BOTTOM OF THE CLEAR OPENING LESS THAN 24" ABOVE THE FINISHED FLOOR, SHALL BE PROVIDED WITH FIELD SUPPLIED AND INSTALLED WINDOW GUARDS PER RB12.2.



FLOOR PLAN SQUARE FOOTAGES
 1st Floor = 696 SQ.FT. of Living Space
 Porch = 288 SQ.FT. of Porch
 Total = 984 SQ.FT. Under Roof

- EXT. WALL HEADERS TO BE (2) 2x4 SPP #2 UNLESS NOTED OTHERWISE
- STRUCTURAL MEMBERS INDICATED ON THIS PLAN ARE ASSUMED TO HAVE FULL BEARING ON THE STRENGTH SUPPORTS UNLESS NOTED OTHERWISE
- STRENGTH SUPPORTS FOR ALL MEMBERS ARE TO BE CONCRETE OR STEEL
- STRUCTURAL BEAMS SHALL NOT BE NOTCHED OR DRILLED
- FASTEN ALL HEADERS TO KING STUDS W/ (5) 0.120x3" NAILS EACH END (TORNAILD OR IN ENGLISH)
- REQUIREMENTS FOR STRAPS FASTENED TO EDGE OR OF LWL MEMBERS:
 - 6d SINKER NAILS (0.113x2.1/8")
 - MIN. SPACING PER ROW: 3" O.C.
 - MIN. END DISTANCE: 2"
- 10d SINKER NAILS (0.120x3.25")
- MIN. SPACING PER ROW: 4" O.C.
- MIN. END DISTANCE: 3"



TN SUBMITTAL NUMBER: HTSC08-004

HILLTOP Structures HILLTOP STRUCTURES, LLC DBA CEDAR CREEK BUILDERS 1075 George Shaw Road, Highmore, KY 42401 PH: (606) 786-4800 www.hilltopstructures.com	THE DOCUMENT AND ALL INFORMATION CONTAINED HEREIN IS THE PROPERTY OF HILLTOP STRUCTURES, LLC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. ANY REUSE OR MODIFICATION OF THIS DOCUMENT WITHOUT THE WRITTEN CONSENT OF HILLTOP STRUCTURES, LLC IS STRICTLY PROHIBITED.
	TITLE: DWYER/DAVYDOWSKI/VALENTI GLENCO, INC.
DATE: 05/07/19 SCALE: 3/16" = 1'-0" DRAWN BY: GLENCO CHECKED BY:	REVISIONS:
CUSTOMER/PROJECT: HILLTOP STRUCTURES LLC RANCH	SHEET: 2